

KurbX[®] - Installation Packages

Our extensive on-site experience has allowed us to develop a variety of installation packages that will assist the installer with any type of installation.

Product Description

- Ready to order installation packages
- Purposely constructed on installer's needs increases installation efficiency for every trade
- Packages for every substrate
- Patented system

Physical Description

- Proprietary drain support block
 - Created from AdvanTech $\frac{3}{4}$ " plywood
 - Dimensions : 21" x 11 $\frac{3}{4}$ "
 - Printed surface indicates no adhesive guide, 10 $\frac{1}{2}$ " in diameter
 - 3 $\frac{7}{8}$ " recess drain hole
- Proprietary drain support cleats
 - Created from soft wood to reduce splitting
 - Dimensions : 3" x 2" with one side notched 1" x $\frac{7}{8}$ " to fit i-joists
- PVC drain waste connectors
 - Sioux Chief 825 series 2" PVC Hub
 - Rubber and polyethylene washers included
 - White in color
- ABS drain waste connectors
 - Sioux Chief 825 series 2" Hub
 - Rubber and polyethylene washers included
 - Black in color
- Proprietary double-threaded flange nipple
 - Created from ABS
 - White in color
 - 4 distinct weep holes
- Clear silicone sealant, 15ml
- Tubes of adhesive fit a standard caulk gun

Versatility of Product

- Configured to position and support drain body during installation
- May be cut to fit between floor joists with the supported drain body resting at any location between the joists
- Supports the bottom of the shower base

Limitations

- Polyurethane Construction adhesive
 - Apply adhesive to the drain support block keeping it away from the parameter of the drain waste a minimum of 2"
 - Do not store at elevated temperatures
 - Cold temperature and low humidity will slow curing

Warranty

- KurbX system carries a 10-year limited warranty
- Sioux Chief warrants a limited lifetime warranty on drain waste connector

Installation package 1

Wood substrate installation package with drain support block

✓ CURBLESS ✓ CURBED

- CURBLESS installation on ALL wood substrates
- CURBED installations on ALL wood substrates when there is NO plumbing access from underneath



Includes

- 1 – Proprietary drain support block
- 2 – Drain support block cleats
- 1 – Drain waste connector – PVC
- 1 – Mini tube of pure silicone
- 6 – 10 oz tubes of approved construction adhesive
- 20 – Coated deck screws for fastening the pan to the substrate
- 1 – 2” driver bit

Installation package 1 with 2” PVC drain waste connector

| IP-1-PVC



Includes

- 1 – Proprietary drain support block
- 2 – Drain support block cleats
- 1 – Drain waste connector – ABS
- 1 – Mini tube of pure silicone
- 6 – 10 oz tubes of approved construction adhesive
- 20 – Coated deck screws for fastening the pan to the substrate
- 1 – 2” driver bit

Installation package 1 with 2” ABS drain waste connector

| IP-1-ABS

Installation package 2

Wood substrate installation package

✓ CURBED

- CURBED installations on ALL wood substrates when there IS plumbing access from underneath



Includes

- 1 – Drain waste connector – PVC
- 1 – Mini tube of pure silicone
- 4 – 10 oz tubes of approved construction adhesive
- 20 – Coated deck screws for fastening the pan to the substrate
- 1 – 2” driver bit

Installation package 2 with 2” PVC drain waste connector

| IP-2-PVC



Includes

- 1 – Drain waste connector – ABS
- 1 – Mini tube of pure silicone
- 4 – 10 oz tubes of approved construction adhesive
- 20 – Coated deck screws for fastening the pan to the substrate
- 1 – 2” driver bit

Installation package 2 with 2” ABS drain waste connector

| IP-2-ABS

Installation package 3

Concrete installation package and wood substrate for new construction

✓ CURBLESS

✓ CURBED



Includes

- 1 – Drain waste connector – PVC
- 1 – Mini tube of pure silicone
- 20 – Coated deck screws for fastening the pan to the substrate

NOTE: use tap cons for concrete installations – not provided

- 1 – 2" driver bit

Installation package 2 with 2" PVC drain waste connector

| IP-3-PVC



Includes

- 1 – Drain waste connector – ABS
- 1 – Mini tube of pure silicone
- 20 – Coated deck screws for fastening the pan to the substrate

NOTE: use tap cons for concrete installations – not provided

- 1 – 2" driver bit

Installation package 2 with 2" ABS drain waste connector

| IP-3-ABS